SCHOOLS/LOCAL GOVERNMENT ENERGY MANAGEMENT PROGRAM

For

WATER VALLEY INDEPENDENT SCHOOL DISTRICT Water Valley, Texas

An Energy Efficient Partnership Service

of

COMPTROLLER of the STATE of TEXAS

STATE ENERGY CONSERVATION OFFICE

111 E. 17th Street

Austin, Texas 78774

Professional Engineering Services By:

ESA ENERGY SYSTEMS ASSOCIATES, Inc 100 East Main Street, Suite 201 Round Rock, Texas 78664 (512) 258-0547

April 15, 2009

James W. Brown, P.E. Texas Registration # 51926

ESA-Energy Systems Associates, Inc. F-4882

Table of Contents

		Page Number
1.0	Executive Summary	1-2
2.0	Energy Assessment Procedure	3
3.0	Campus Description	3-4
4.0	Energy Performance Indicators	5-6
5.0	Utilities Rate Schedule Analysis	7
6.0	Recommendations	
	A. Maintenance and Operations Projects	8
	B. Capital Expense Projects	8
APP	ENDICES:	
I.	Summary of Funding and Procurement Options	9-17
II.	Electric Utility Rate Schedule	18-20
III.	Utilities Consumption History	21-22
IV.	Energy Policy	23-24
V.	Preliminary Energy Assessment Service Agreement	25-26
VI.	SECO Program Contacts Watt Watchers of Texas	27-33
VII.	Texas Energy Managers Association (TEMA)	34-35
VIII.	Utility Charts on Diskette	36

1.0 EXECUTIVE SUMMARY:

This **Energy Efficient Partnership Service** is provided to public school districts and hospitals as a portion of the state's *Schools/Local Government Energy Management Program*; a program sponsored by the **State Energy Conservation Office (SECO)**, a division of the **State of Texas Comptroller of Public Accounts**.

Address:



Program Administrator: Glenda Baldwin Phone: 512-463-1731

State Energy Conservation Office

LBJ State Office Building

111 E. 17th Street Austin, Texas 78774

The service assists these public, non-profit institutions to take basic steps towards energy efficient facility operation. Active involvement in the partnership from the entire administration and staff within the agencies and institutions is critical in developing a customized blueprint for energy efficiency for their facilities.

In April 2009, **SECO** received a request for technical assistance from *Jimmy Hannon*, Superintendent for Water Valley I.S.D. **SECO** responded by sending **ESA Energy Systems Associates, Inc.**, a registered professional engineering firm, to prepare this preliminary report for the school district. This report is intended to provide support for the district as it determines the most appropriate path for facility renovation, especially as it pertains to the heating and cooling systems around the facility. It is our opinion that significant decreases in annual energy costs, as well as major maintenance cost reductions, can be achieved through the efficiency recommendations provided herein.

This study has focused on energy efficiency and systems operations. To that end, an analysis of the utility usage and costs for **Water Valley ISD**, (hereafter known as WVISD) was completed by **ESA Energy Systems Associates, Inc.**, (hereafter known as *Engineer*) to determine the annual energy cost index (ECI) and energy use index (EUI) for each campus or facility. A complete listing of the Base Year Utility Costs and Consumption is provided in Appendix IV of this report.

Following the utility analysis and a preliminary consultation with a Maintenance Employee for WVISD, a walk-through energy analysis was conducted throughout the campus. Specific findings of this survey and the resulting recommendations for both operation and maintenance procedures and cost-effective energy retrofit installations are identified in Section 6.0 of this report.

We estimate that as much as \$6,150 may be saved annually if all recommended projects are implemented. The estimated installed cost of these projects should total approximately \$36,867, yielding an average simple payback of 6 years.

Although additional savings from reduced maintenance expenses are anticipated, these savings projections are not included in the estimates provided above. As a result, the actual Return of Investment (ROI), for this retrofit program should be even faster than noted within these calculations.

Our final "summary" comment is that **SECO** views the completion and presentation of this report as a beginning, rather than an end, of our relationship with **WVISD**. We hope to be ongoing partners in assisting you to implement the recommendations listed in this report. Please call us if you have further questions or comments regarding your Energy Management Issues.

*ESA Energy Systems Associates, Inc. James W. Brown (512) 258-0547

2.0 ENERGY ASSESSMENT PROCEDURE:

Involvement in this on-site analysis program was initiated through completion of a Preliminary Energy Assessment Service Agreement. This PEASA serves as the agreement to form a "partnership" between the client and the State Energy Conservation Office (SECO) for the purposes of energy costs and consumption reduction within owned and operated facilities. After receipt of the PEASA, an on-site visit was conducted by the professional engineering firm contracted by SECO to provide service within that area of the state. A summary of the *Partner's* most recent twelve months of utility bills was provided to the engineer for the preliminary assessment of the Energy Performance Indicators. ESA then toured the facilities to evaluate changes in maintenance, operations and/or equipment which would produce potential savings in energy consumption and cost.

3.0 CAMPUS DESCRIPTIONS:

Water Valley ISD consists of one K-12 campus located in the small community of Water Valley, Texas, 21 miles northwest of San Angelo. The district serves approximately 350 students. The office area is open all year, and portions of the facility are occupied by the maintenance/custodial staff throughout the summer.

The HVAC System at WVISD consists predominantly of DX cool, propane heat rooftop units that were replaced in 2005. The Band Hall just received new units at the beginning of the 2008-2009 school year. They are controlled with programmable thermostats that the staff re-programs at least one time per year to accommodate for changes in student occupancy.

At the Elementary School, it was noted during the survey that the thermostats are located just above the computer monitors which will lead to inaccurate room temperature sampling. Therefore the HVAC units will operate for more time than should be necessary to cool the space in the warmer months, and too little time to warm the space in the winter. The district has recognized this issue and already begun to implement the necessary changes to remedy the issue.

The lighting system in the district consists of a combination of T8 and T12 linear fluorescent fixtures. Staff estimates that the following areas are in need of a lighting retrofit to T8 lamps and electronic ballasts:

- 30% of the 1983 Addition's lighting system has not been retrofit [85,176 sf total area]
- Administration (29,436 sf) is 100% T12
- Bus Barn and Ag Shop F96T12
- Band Hall 20 each 4-lamp T12

We recommend the district renovate the existing T12 fixtures to T8 lamps with electronic ballasts. The T8 fixtures will produce approximately 20% more light while consuming about 18% less energy than the existing T12 components.

The 2007 Gymnasium utilizes a combination of F96T12 fluorescent and metal halide fixtures over the court that allows the district to use just the fluorescent fixtures during general PE classes and the metal halides for competitions and events.

The corridor outside of the gymnasium area has 4-lamp T8 fixtures that are producing 74 - 110 footcandles in a hallway that only requires 20-30 footcandles to meet the Illumination Engineering Society of North America (IESNA) recommended light levels for school corridors. We recommend the district de-lamp these corridor fixtures to 2-lamps and save approximately ½ of the energy currently consumed to illuminate the hallway.

It was noted during the survey that the water heater at the High School had some insulation missing from the hot water piping at the unit. The majority of the energy losses in a hot water system occur in the hot water piping. We recommend installing the missing insulation to improve the efficiency of the hot water system.

4.0 ENERGY PERFORMANCE INDICATORS:

In order to easily assess the *Partner's* energy utilization and current level of efficiency, there are two key "Energy Performance Indicators" calculated within this report.

1. Energy Utilization Index

The Energy Utilization Index (EUI) depicts the total annual energy consumption per square foot of building space, and is expressed in "British Thermal Units" (BTU's).

To calculate the EUI, the consumption of electricity and gas are first converted to equivalent BTU consumption via the following formulas:

ELECTRICITY Usage [Total KWH/yr] x [3413 BTUs/KWH] =	BTUs / yr
NATURAL GAS Usage [Total MCF/yr] x [1,030,000 BTUs/MCF] =	BTUs / yr

After adding the BTU consumption of each fuel, the total BTU's are then divided by the building area.

EUI = [Electricity BTU's + Gas BTU's] divided by [Total square feet]

2. Energy Cost Index

The Energy Cost Index (ECI) depicts the total annual energy cost per square foot of building space.

To calculate the ECI, the annual costs of electricity and gas are totaled and divided by the total square footage of the facility:

ECI = [Electricity Cost + Gas Cost] divided by [Total square feet]

These indicators may be used to compare the facility's current cost and usage to past years, or to other similar facilities in the area. Although the comparisons will not provide specific reasons for unusual operation, they serve as indicators that problems may exist within the energy consuming systems.

THE CURRENT ENERGY PERFORMANCE INDICATORS FOR:

WATER VALLEY ISD

<u>CAMPUS</u>	ENERGY UTILIZATION INDEX (EUI)	ENERGY COST INDEX (ECI)
	` ,	` '
	(Btu/sf-year)	<u>(\$/sf-year)</u>
2008 Water Valley K-12	39,203	\$0.99
Region 15 2006 Average K-12	: 46,712	\$1.03

<u>Comparison: Water Valley ISD to Regional Averages</u>: The EUI for the Water Valley facility is 16% below regional average. The ECI is 4% lower than the regional average.

This apparent anomaly has several possible causalities:

- 1. The regional averages used are from 2006 and therefore a portion of the energy price increases experienced from 2006 are not included in the averages, but are represented in the calculations made for the district's 2007-2008 utility billings.
- 2. The rate schedule analysis (Section 5.0) suggests that Water Valley ISD has a higher cost for electricity under their current contract than other similar schools in the region.

5.0 RATE SCHEDULE ANALYSIS:

RETAIL ELECTRIC PROVIDER: Reliant (GLO, Energy for Schools)
Energy Charge: \$0.08824/kWh
TRANSMISSION AND DISTRIBUTION (T&D): AEP Texas North

Electric Rate: Secondary Service > 10 kW

I. TRANSMISSION AND DISTRIBUTION CHARGES:

Customer Charge = \$26.00 per IDR meter

Customer Charge = \$4.25 per Non-IDR meter

Metering Charge = \$35.00 per IDR meter

Metering Charge = \$18.68 per Non-IDR meter

Transmission System Charge (IDR Meter) = \$1.953 per 4CP kW
Transmission System Charge (Non-IDR Meter) = \$1.245 per NCP kW
Distribution System Charge = \$3.21 per NCP kW

II. SYSTEM BENEFIT FUND \$0.000657 per kWh = \$0.000277/kWh III. TRANSITION CHARGES Not Applicable IV. NUCLEAR DECOMMISSIONING CHARGE =V. TCRF (IDR Meter) \$0.358804/4CP kW =TCRF (Non-IDR Meter) \$0.243181/kW VI. EXCESS MITIGATION CREDIT not applicable VII. STATE COLLEGE DISCOUNT not applicable \$2.17 per month VIII. COMPETITIVE METERING CREDIT =\$0.000039 per kWh IX. Rate Case Surcharge Rider

Average Savings for consumption

= \$0.08824/kWh + \$0.000657/kWh + 0.000277/kWh + 0.000039/kWh = \$0.089213/kWh

Average Savings for demand = \$1.245 + \$3.21 + \$0.243181 = \$4.698181/kW**

- 1. NCP kW: Peak demand during 15 minute interval of current billing cycle
- 2. 4CP kW: Average demands of June, July, August and September of previous calendar year; usually only applied to IDR metered accounts
- 3. DS (Distribution System) Billing kW: Ratchet demand representing higher of two calculations: 80% of peak demand in last 11 months or current NCP kW

PROPANE PROVIDER: Concho Propane, Inc, San Angelo, Texas

Rate Schedule Unavailable: Average cost per gallon determined from utility billings.

Total Cost of Propane purchased for Water Valley ISD: \$19,734

Total Quantity of Propane purchased for Water Valley ISD: 9,183 gallons

Cost / Quantity = Average Unit Cost

\$19,734 / 9,183 gallons = \$2.15 per gallon propane

^{**} This number is a generalization of average cost per kW because the rate schedule from Oncor utilizes three (3) different types of demand for the calculation of the utility bill:

6.0 RECOMMENDATIONS:

A. MAINTENANCE AND OPERATIONS PROCEDURES

- 1. Weather-strip around movable portions of exterior door and operable window frames. *Stationary sections of window and door frames should be recaulked as needed.*
- 2 Replace missing or damaged insulation on the water heater at the High School.
- 3. Implement SECO's Watt Watcher program to turn lights off in unoccupied areas.

 The Watt Watcher program gets the students involved with helping to have lights turned off when not in use. Refer to Appendix VII for more information on the Watt Watcher Program.

B. CAPITAL EXPENSE PROJECTS

I. Complete Lighting Renovation from T12 to T8 system components.

The Maintenance staff currently reports about 40% of the original T12 fixtures remain and need to be renovated with T8 lamps and electronic ballasts.

SUMMARY:

Estimated Installed Cost = \$ 36,867 Estimated Energy Cost Savings = \$ 6,150 Simple Payback Period = 6 Years

Since the overall cost for this project is less than \$100,000, we recommend the district utilize fund balance to implement these projects. **Financing** of these projects may be provided using a variety of methods as Bond Programs, municipal leases, or state financing programs like the SECO LoanSTAR Program.

More information regarding financial programs available to WVISD can be found in:

APPENDIX I: SUMMARY OF FUNDING AND PROCUREMENT OPTIONS

FOR CAPITAL EXPENDITURE PROJECTS

APPENDIX I

SUMMARY OF FUNDING AND PROCUREMENT OPTIONS FOR CAPITAL EXPENDITURE PROJECTS

SUMMARY OF FUNDING OPTIONS FOR CAPITAL EXPENDITURE PROJECTS

Several options are available for funding retrofit measures which require capital expenditures.

LoanSTAR Program:

The Texas LoanSTAR program is administered by the State Energy Conservation Office (SECO). It is a revolving loan program available to all public school districts in the state as well as other institutional facilities. SECO loans money at 3% interest for the implementation of energy conservation measures which have a combined payback of eight years or less. The amount of money available varies, depending upon repayment schedules of other facilities with outstanding loans, and legislative actions. Check with Theresa Sifuentes of SECO (512-463-1896) for an up-to-date evaluation of prospects for obtaining a loan in the amounts desired.

TASB (Texas Association Of School Boards) Capital Acquisition Program:

TASB makes loans to school districts for acquiring personal property for "maintenance purposes". Energy conservation measures are eligible for these loans. The smallest loan TASB will make is \$100,000. Financing is at 4.4% to 5.3%, depending upon length of the loan and the school district's bond rating. Loans are made over a three year, four year, seven year, or ten year period. The application process involves filling out a one page application form, and submitting the school district's most recent budget and audit. Contact Cheryl Kepp at TASB (512-467-0222) for further information.

Loans On Commercial Market:

Local lending institutions are another source for the funding of desired energy conservation measures. Interest rates obtainable may not be as attractive as that offered by the LoanSTAR or TASB programs, but advantages include "unlimited" funds available for loan, and local administration of the loan.

Leasing Corporations:

Leasing corporations have become increasingly interested in the energy efficiency market. The financing vehicle frequently used is the municipal lease. Structured like a simple loan, a municipal leasing agreement is usually a lease-purchase agreement. Ownership of the financed equipment passes to the district at the beginning of the lease, and the lessor retains a security interest in the purchase until the loan is paid off. A typical lease covers the total cost of the equipment and may include installation costs. At the end of the contract period a nominal amount, usually a dollar, is paid by the lessee for title to the equipment.

Bond Issue:

The may choose to have a bond election to provide funds for capital improvements. Because of its political nature, this funding method is entirely dependent upon the mood of the voters, and may require more time and effort to acquire the funds than the other alternatives.

SUMMARY OF PROCUREMENT OPTIONS FOR CAPITAL EXPENDITURE PROJECTS

State Purchasing:

The General Services Commission has competitively bid contracts for numerous items which are available for direct purchase by school districts. Contracts for this GSC service may be obtained from Sue Jager at (512) 475-2351.

Design/Bid/Build (Competitive Bidding):

Plans and specifications are prepared for specific projects and competitive bids are received from installation contractors. This traditional approach provides the district with more control over each aspect of the project, and task items required by the contractors are presented in detail.

Design/Build:

These contracts are usually structured with the engineer and contractor combined under the same contract to the owner. This type team approach was developed for fast-track projects, and to allow the contractor a position in the decision making process. The disadvantage to the district is that the engineer is not totally independent and cannot be completely focused upon the interest of the district. The district has less control over selection of equipment and quality control.

Purchasing Standardization Method:

This method will result in significant dollar savings if integrated into planned facility improvements. For larger purchases which extend over a period of time, standardized purchasing can produce lower cost per item expense, and can reduce immediate up-front expenditures. This approach includes traditional competitive bidding with pricing structured for present and future phased purchases.

Performance Contracting:

Through this arrangement, an energy service company (ESCO) using in-house or third party financing to implement comprehensive packages of energy saving retrofit projects. Usually a turnkey service, this method includes an initial assessment of energy savings potential, design of the identified projects, purchase and installation of the equipment, and overall project management. The ESCO guarantees that the cost savings generated will, at a minimum, cover the annual payment due over the term of the contract. The laws governing Performance Contracting for school districts are detailed in the Texas Education Code, Subchapter Z, Section 44.901. Senate Bill SB 3035, passed by the seventy-fifth Texas Legislature, amends some of these conditions. Performance Contracting is a highly competitive field, and interested districts may wish to contact Theresa Sifuentes of State Energy Conservation Office, (SECO), at 512-463-1896 for assistance in preparing requests for proposals or requests for qualifications.

How to Finance Your Energy Program

Cost and financing issues are pivotal factors in determining which energy-efficiency measures will be included in your final energy management plan. Before examining financing options, you need to have a reasonably good idea of the measures that may be implemented. For this purpose, you will want to perform cost/benefit analyses on each candidate measure to identify those with the best investment potential. This document presents a brief introduction to cost/benefit methods and then suggests a variety of options for financing your program.

Selecting a Cost/Benefit Analysis Method Cost/benefit analysis can determine if and when an improvement will pay for itself through energy savings and to help you set priorities among alternative improvement projects. Cost/benefit analysis may be either a simple payback analysis or the more sophisticated life cycle cost analysis. Since most electric utility rate schedules are based on both consumption and peak demand, your analyst should be skilled at assessing the effects of changes in both electricity use and demand on total cost savings, regardless of which type of analysis is used. Before beginning any cost/benefit analyses, you must first determine acceptable design alternatives that meet the heating, cooling, lighting, and control requirements of the building being evaluated. The criteria for determining whether a design alternative is "acceptable" includes reliability, safety, conformance with building codes, occupant comfort, noise levels, and space limitations. Since there will usually be a number of acceptable alternatives for any project, cost/benefit analysis allows you to select those that have the best savings potential.

Simple Payback Analysis

A highly simplified form of cost/benefit analysis is called simple payback. In this method, the total first cost of the improvement is divided by the first-year energy cost savings produced by the improvement. This method yields the number of years required for the improvement to pay for itself

This kind of analysis assumes that the service life of the energy-efficiency measure will equal or exceed the simple payback time. Simple payback analysis provides a relatively easy way to examine the overall costs and savings potentials for a variety of project alternatives. However, it does

not consider a number of factors that are difficult to predict, yet can have a significant impact on cost savings. These factors may be considered by performing a life-cycle cost (LCC) analysis.

Simple Payback

As an example of simple payback, consider the lighting retrofit of a 10,000-square-foot commercial office building. Relamping with T-8 lamps and electronic, high-efficiency ballasts may cost around \$13,300 (\$50 each for 266 fixtures) and produce annual savings of around \$4,800 per year (80,000 kWh at \$0.06/kWh). This simple payback for this improvement would be

$$\frac{$13,300}{$4,800/year}$$
 = 2.8 years

That is, the improvement would pay for itself in 2.8 years, a 36% simple return on the investment (1/2.8 = 0.36).

Life-Cycle Cost Analysis Life-cycle cost analysis (LCC) considers the total cost of a system, device, building, or other capital equipment or facility over its anticipated useful life. LCC analysis allows a comprehensive assessment of all anticipated costs associated with a design alternative. Factors commonly considered in LCC analyses include initial capital cost, operating costs, maintenance costs, financing costs, the expected useful life of equipment, and its future salvage values. The result of the LCC analysis is generally expressed as the value of initial and future costs in today's dollars, as reflected by an appropriate discount rate.

The first step in this type of analysis is to establish the general study parameters for the

continued

project, including the base date (the date to which all future costs are discounted), the service date (the date when the new system will be put into service), the study period (the life of the project or the number of years over which the investor has a financial interest in the project), and the discount rate. When two or more design alternatives are compared (or even when a single alternative is compared with an existing design), these variables must be the same for each to assure that the comparison is valid. It is meaningless to compare the LCC of two or more alternatives if they are computed using different study periods or different discount rates.

Decision makers in both the public and private sectors have long used LCC analysis to obtain an objective assessment of the total cost of owning, operating, and maintaining a building or building system improvement over its useful life. Nevertheless, an LCC analysis does require a good understanding of acceptable alternatives, useful life, equipment efficiencies, and discount rates.

Selecting the "Best" Alternatives
Generally, all project alternatives should be
screened using simple payback analyses. A more
detailed and costly LCC analysis should be
reserved for large projects or those
improvements that entail a large investment,
since a detailed cost analysis would then be a
small part of the overall cost. Both simple
payback and LCC analyses will allow you to set
priorities based on measures that represent the
greatest return on investment. In addition, these
analyses can help you select appropriate
financing options:

- Energy-efficiency measures with short payback periods, such as one to two years, are economically very attractive and should be implemented using operating reserves or other readily available internal funds, if possible.
- Energy-efficiency measures with payback periods from three to five years may be considered for funding from available internal capital investment monies, or may be attractive candidates for third-party financing through energy service companies or equipment leasing arrangements.
- Frequently, short payback measures can be combined with longer payback measures (10

years or more) in order to increase the number of measures that can be cost-effectively included in a project. Projects that combine short- and long-term paybacks are recommended to avoid "cream-skimming" (implementing only those measures that are highly cost effective and have quick paybacks) at the expense of other worthwhile measures. A selected set of measures with a combination of payback periods can be financed either from available internal funds or through third party alternatives.

If simple payback time is long, 10 or more years, economic factors can be very significant and LCC analysis is recommended. In contrast, if simple payback occurs within three to five years, more detailed LCC analysis may not be necessary, particularly if price and inflation changes are assumed to be moderate.

Weighing Non-Cost Impacts
Some factors related to building heating, air
conditioning, and lighting system design are not
considered in either simple payback or LCC
analyses. Examples include the thermal comfort
of occupants in a building and the adequacy of
task lighting, both of which affect productivity. A
small loss in productivity due to reduced comfort
or poor lighting can quickly offset any energy
cost savings.

Conventional cost/benefit analyses also normally do not consider the ancillary societal benefits that can result from reduced energy use (e.g., reduced carbon emissions, improved indoor air quality). In some cases, these ancillary benefits can be assigned an agreed upon monetary value, but the values to be used are strongly dependent on local factors. In general, if societal benefits have been assigned appropriate monetary values by a local utility, they can be easily considered in your savings calculations. However, your team should discuss this issue with your local utility or with consultants working on such values in your area.

Finally, in any cost analysis, it can be very important to include avoided cost as part of the benefit of the retrofit. When upgrading or replacing building equipment, the avoided cost of maintaining existing equipment should be considered a cost savings provided by the improvement.

Financing Mechanisms

Capital for energy-efficiency improvements is available from a variety of public and private sources, and can be accessed through a wide and flexible range of financing instruments. While variations may occur, there are five general financing mechanisms available today for investing in energy-efficiency:

- Internal Funds. Energy-efficiency improvements are financed by direct allocations from an organization's own internal capital or operating budget.
- Debt Financing. Energy-efficiency improvements are financed with capital borrowed directly by an organization from private lenders.
- · Lease or Lease-Purchase Agreements. Energyefficient equipment is acquired through an operating or financing lease with no up-front costs, and payments are made over five to ten
- Energy Performance Contracts. Energyefficiency measures are financed, installed, and maintained by a third party, which guarantees savings and payments based on those savings.
- Utility Incentives. Rebates, grants, or other financial assistance are offered by an energy utility for the design and purchase of certain energy-efficient systems and equipment.

These financing mechanisms are not mutually exclusive (i.e., an organization may use several of them in various combinations). The most appropriate set of options will depend on the size and complexity of a project, internal capital constraints, in-house expertise, and other factors. Each of these mechanisms is discussed briefly below, followed by some additional funding sources and considerations.

Internal Funds

The most direct way for the owner of a building or facility to pay for energy-efficiency improvements is to allocate funds from the internal capital or operating budget. Financing internally has two clear advantages over the other options discussed below - it retains internally all savings from increased energy-efficiency, and it is usually the simplest option administratively. The resulting savings may be used to decrease overall operating

expenses in future years or retained within a revolving fund used to support additional efficiency investments. Many public and private organizations regularly finance some or all of their energyefficiency improvements from internal funds.

In some instances, competition from alternative capital investment projects and the requirement for relatively high rates of return may limit the use of internal funds for major, standalone investments in energy-efficiency. In most organizations, for example, the highest priorities for internal funds are business or service expansion, critical health and safety needs, or productivity enhancements. In both the public and private sectors, capital that remains available after these priorities have been met will usually be invested in those areas that offer the highest rates of return. The criteria for such investments commonly include an annual return of 20 percent to 30 percent or a simple payback of three years or less.

Since comprehensive energy-efficiency improvements commonly have simple paybacks of five to six years, or about a 12 percent annual rate of return, internal funds often cannot serve as the sole source of financing for such improvements. Alternatively, however, internal funding can be used well and profitably to achieve more competitive rates of return when combined with one or more of the other options discussed below.

Debt Financing
Direct borrowing of capital from private lenders can be an attractive alternative to using internal funds for energy-efficiency investments. Financing costs can be repaid by the savings that accrue from increased energy-efficiency. Additionally, municipal governments can often issue bonds or other long-term debt instruments at substantially lower interest rates than can private corporate entities. As in the case of internal funding, all savings from efficiency improvements (less only the cost of financing) are retained internally.

Debt financing is administratively more complex than internal funding, and financing costs will vary according to the credit rating of the borrower. This approach may also be restricted by formal debt ceilings imposed by municipal

policy, accounting standards, and/or Federal or state legislation.

In general, debt financing should be considered for larger retrofit projects that involve multiple buildings or facilities. When considering debt financing, organizations should weigh the cost and complexity of this type of financing against the size and risk of the proposed projects.

Lease and Lease-Purchase Agreements Leasing and lease-purchase agreements provide a means to reduce or avoid the high, up-front capital costs of new, energy-efficient equipment. These agreements may be offered by commercial leasing corporations, management and financing companies, banks, investment brokers, or equipment manufacturers. As with direct borrowing, the lease should be designed so that the energy savings are sufficient to pay for the financing charges. While the time period of a lease can vary significantly, leases in which the lessee assumes ownership of the equipment generally range from five to ten years. There are several different types of leasing agreements, as shown in the sidebar. Specific lease agreements will vary according to lessor policies, the complexity of the project, whether or not engineering and design services are included, and other factors.

Energy Performance Contracts
Energy performance contracts are generally financing or operating leases provided by an Energy Service Company (ESCo) or equipment manufacturer. The distinguishing features of these contracts are that they provide a guarantee on energy savings from the installed retrofit measures, and they provide payments to the ESCo from the savings, freeing the customer from any need of up-front payments to the ESCo. The contract period can range from five to 15 years, and the customer is required to have a certain minimum level of capital investment (generally \$200,000 or more) before a contract will be considered.

Under an energy performance contract, the ESCo provides a service package that typically includes the design and engineering, financing, installation, and maintenance of retrofit measures to improve energy-efficiency. The scope of these improvements can range from measures that affect a single part of a building's energy-using

Types of Leasing Agreements

Operating Leases are usually for a short term, occasionally for periods of less than one year. At the end of the lease period, the lessee may either renegotiate the lease, buy the equipment for its fair market value, or acquire other equipment. The lessor is considered the owner of the leased equipment and can claim tax benefits for its depreciation.

Financing Leases are agreements in which the lessee essentially pays for the equipment in monthly installments. Although payments are generally higher than for an operating lease, the lessee may purchase the equipment at the end of the lease for a nominal amount (commonly \$1). The lessee is considered the owner of the equipment and may claim certain tax benefits for its depreciation.

Municipal Leases are available only to taxexempt entities such as school districts or municipalities. Under this type of lease, the lessor does not have to pay taxes on the interest portion of the lessee's payments, and can therefore offer an interest rate that is lower than the rate for usual financing leases. Because of restrictions against multi-year liabilities, the municipality specifies in the contract that the lease will be renewed year by year. This places a higher risk on the lessor, who must be prepared for the possibility that funding for the lease may not be appropriated. The lessor may therefore charge an interest rate that is as much as 2 percent above the tax-exempt bond rate, but still lower than rates for regular financing leases. Municipal leases nonetheless are generally faster and more flexible financing tools than taxexempt bonds.

Guaranteed Savings Leases are the same as financing or operating leases but with the addition of a guaranteed savings clause. Under this type of lease, the lessee is guaranteed that the annual payments for leasing the energy-efficiency improvements will not exceed the energy savings generated by them. The owner pays the contractor a fixed payment per month. If actual energy savings are less than the fixed payment, however, the owner pays only the small amount saved and receives a credit for the difference.

infrastructure (such as lighting) to a complete package of measures for multiple buildings and facilities. Generally, the service provider will guarantee savings as a result of improvements in both energy and maintenance efficiencies. Flatfee payments tend to be structured to maintain a positive cash flow to the customer with whom the agreement is made. With the increasing deregulation of conventional energy utilities, several larger utilities have formed unregulated subsidiaries that offer a full range of energy-efficiency services under performance agreements.

An energy performance contract must define the methodology for establishing the baseline costs and cost savings and for the distribution of those savings among the parties. The contract must also specify how those savings will be determined, and must address contingencies such as utility rate changes and variations in the use and occupancy of a building. While several excellent guidance documents exist for selecting and negotiating energy performance contracts, large or complicated contracts should be negotiated with the assistance of experienced legal counsel.

Utility Incentives

Some utilities still offer financial incentives for the installation of energy-efficient systems and equipment, although the number and extent of such programs appears to be decreasing as utility deregulation proceeds. These incentives are available for a variety of energy-efficient products including lighting, HVAC systems, energy management controls, and others. The most common incentives are equipment rebates, design assistance, and low-interest loans.

In general, the primary purpose of utility incentives is to lower peak demand; overall energy-efficiency is an important, but secondary consideration. Incentives are much more commonly offered by electric utilities than by natural gas utilities.

Additional Financing Sources and Considerations

State and Federal Assistance. Matching grants, loans, or other forms of financial assistance (in

addition to those listed above) may be available from the Federal government or state governments. If your community is considering energy-efficiency improvements for public or assisted multifamily housing, your program could be eligible to receive assistance through various programs of the U.S. Department of Housing and Urban Development. A variety of stateadministered programs for building efficiency improvements may also be available, some of which are funded through Federal block grants and programs. Federal assistance available through states include Federal block grants and State Energy Conservation Program funds. An example of individual state programs is the Texas LoanSTAR program, which provides low-interest loans for state agencies and schools.

Utility Assistance

Equipment Rebates. Some utilities offer rebates on the initial purchase price of selected energy-efficient equipment. The amount of the rebate varies substantially depending on the type of equipment. For example, a rebate of \$.50 to \$1 may be offered for the replacement of an incandescent bulb with a more efficient fluorescent lamp, while the installation of an adjustable speed drive may qualify for a rebate of \$10,000 or more.

Design Assistance. A smaller number of utilities provide direct grants or financial assistance to architects and engineers for incorporating energy-efficiency improvements in their designs. This subsidy can be based on the square footage of a building, and/or the type of energy-efficiency measures being considered. Generally, a partial payment is made when the design process is begun, with the balance paid once the design has been completed and installation has commenced.

Low-Interest Loans. Loans with below-market rates are provided by other utilities for the purchase of energy-efficient equipment and systems. Typically, these low-interest loans will have an upper limit in the \$10,000 to \$20,000 range, with monthly payments scheduled over a two- to five-year period.

Bulk Purchasing. Large organizations generally have purchasing or materials procurement departments that often buy standard materials in bulk or receive purchasing discounts because of the volume of their purchases. Such organizations can help reduce the costs of energy-efficiency renovations if their bulk purchasing capabilities can be used to obtain discounts on the price of materials (e.g., lamps and ballasts). While some locales may have restrictions that limit the use of this option, some type of bulk purchasing can usually be negotiated to satisfy all parties involved.

Project Transaction Costs. Certain fixed costs are associated with analyzing and installing energy measures in each building included in a retrofit program. Each additional building, for example, could represent additional negotiations and transactions with building owners, building analysts, energy auditors, equipment installers, commissioning agents, and other contractors. Similarly, each additional building will add to the effort involved in initial data analysis as well as in tracking energy performance after the retrofit. For these reasons, it is often possible to achieve target energy savings at lower cost by focusing only on those buildings that are the largest energy users. One disadvantage with larger buildings is that the energy systems in the building can be more difficult to understand, but overall, focusing on the largest energy users is often the most efficient use of your financial resources.

Direct Value-Added Benefits. The primary value of retrofits to buildings and facilities lies in the reduction of operating costs through improved energy-efficiency and maintenance savings. Nevertheless, the retrofit may also directly help address a variety of related concerns, and these benefits (and avoided costs) should be considered in assessing the true value of an investment. A few examples of these benefits include the improvement of indoor air quality in office buildings and schools; easier disposal of toxic or hazardous materials found in energyusing equipment; and assistance in meeting increasingly stringent state or Federal mandates for water conservation. Effective energy management controls for buildings can also

provide a strong electronic infrastructure for improving security systems and telecommunications.

Economic Development Benefits. In addition to direct savings on operating costs and the addedvalue benefits mentioned above, investments in energy-efficiency can also support a community's economic development and employment opportunities. Labor will typically constitute about 60 percent of a total energy investment, and about 50 percent of equipment can be expected to be purchased from local equipment suppliers; as a result, about 85 percent of the investment is retained within the local economy. Additionally, funds retained in urban areas will generally be respent in the local economy. The Department of Commerce estimates that each dollar retained in an urban area will be re-spent three times. This multiplier effect results in a three-fold increase in the economic benefits of funds invested in energy-efficiency, without even considering the savings from lower overall fuel costs.

For more information contact the Rebuild America Clearinghouse at 252-459-4664 or visit www.rebuild.gov





6

APPENDIX II ELECTRIC UTILITY RATE SCHEDULE

AEP TEXAS NORTH COMPANY

TARIFF FOR ELECTRIC DELIVERY SERVICE

Applicable: Entire System

Chapter: 6

Revision:

Section: 6.1.1

Section Title: Delivery System Charges

Fourth Effective Date:

March 31, 2008

6.1.1.1.3 SECONDARY VOLTAGE SERVICE GREATER THAN 10 KW

AVAILABILITY

This schedule is applicable to Delivery Service for non-residential purposes at secondary voltage with demand greater than 10 kW when such Delivery Service is to one Point of Delivery and measured through one Meter.

TYPE OF SERVICE

Delivery Service will be single-phase 60 hertz, at a standard secondary voltage. Delivery Service will be metered using Company's standard meter provided for this type of Delivery Service. Any meter other than the standard meter will be provided at an additional charge. Where Delivery Service of the type desired is not available at the Point of Delivery, additional charges and special arrangements may be required prior to Delivery Service being furnished, pursuant to Section 5.7 and 6.1.2 of this Tariff.

MONTHLY RATE

Distribution System Charge

I. Transmission and Distribution Charges:

Customer Char	rge Non-IDR Metered IDR Metered	\$4.25 \$26.00	per Retail Customer per Month per Retail Customer per Month
Metering Char	ge		

Non-IDR Metered \$18.68 per Retail Customer per Month
IDR Metered \$35.00 per Retail Customer per Month

Transmission System Charge
Non-IDR Metered
\$1.245 per NCP kW Billing Demand

IDR Metered \$1.953 per 4CP kW Billing Demand

II. System Benefit Fund: \$0.000657 per kWh See Charges for SBF

III. Transition Charge: See CTC

116

III. Transition Charge: See CTC

PUBLIC UTILITY COMMISSION OF TEXAS

\$3.21 per NCP kW Billing Demand

IV. Nuclear Decommissioning Charge: Not Applicable APPROVED

JAN - 2°08 DOCKET 34561

7470

CONTROL #_____

AEP TEXAS NORTH COMPANY

Fourth

TARIFF FOR ELECTRIC DELIVERY SERVICE

Applicable: Entire System

Chapter: 6 Section: 6.1.1

Revision:

IX.

Section Title: Delivery System Charges

Effective Date:

March 31, 2008

V. Transmission Cost Recovery Factor:

See Rider TCRF

VI. Excess Mitigation Credit:

Not Applicable

VII. State Colleges and Universities

See Rider SCUD

Discount:

See Rider CMC

VIII. Competitive Metering Credit

Other Charges or Credits

A. Rate Case Surcharge Rider

See Rider RCS

COMPANY-SPECIFIC APPLICATIONS

Refer to Section 6.2.2 of the Tariff for additional voltage information.

Three-phase service may be provided if Retail Customer has permanently installed, and in regular use, motor(s) which qualify according to Section 6.2.3.4, or, at the Company's sole discretion, the load is sufficient to warrant three-phase service.

Service will normally be metered at the service voltage. For more information, refer to the Meter Installation and Meter Testing Policy, Section 6.2.3.3 of the Tariff.

Refer to Section 5.5.2 of the Tariff for additional information regarding highly fluctuating loads.

Refer to Section 5.5.4 of the Tariff for additional information regarding operational changes significantly affecting Demand.

Refer to Section 5.5.5 of the Tariff for additional information regarding Power Factor.

Transmission service will be furnished by the Transmission Service Providers (TSPs), and not the Company. The Company performs only the billing function for TSPs.

Determination of Billing Demand for Transmission System Charges

Determination of NCP kW

The NCP kW applicable under the Monthly Rate section for transmission system charges for non-IDR metered customers and IDR metered customers without sufficient 4CP kW demand data shall be the kW supplied during the 15-minute period of maximum use during the billing month. **PUBLIC UTILITY COMMISSION OF TEXAS**

APPROVED

JAN - 2 'DB DOCKET 34561

117

CONTROL#

APPENDIX III

UTILITIES CONSUMPTION HISTORY

OWNER:	Water	Valley ISD			BUILDING:	K-12		
MONTH / YEAR				ELECTR	IC		PROP	ΔNF
MONITY TEAR					AND		11101	AIIL
		CONSUMPTION	METEREN		COST OF	TOTAL ALL ELECTRICA L	CONSUMPTION	\$
MONTH	YEAR		KW/KVA	KW/KVA	DEMAND	COSTS \$	GALLONS	COSTS
JANUARY	2008	81,570	360	360	0	8.267	5.391	\$12,144
FEBRUARY	2008	74,358	350	350	0	6,562	1,360	\$2,652
MARCH	2008	60,197	344	344	0	5,312	0	\$0
APRIL	2008	54,523	320	320	0	4,811	0	\$0
MAY	2008	56,023	376	376	0	4,944	0	\$0
JUNE	2008	71,063	386	386	0	6,270	0	\$0
JULY	2007	40,078	206	206	0	3,537	0	\$0
AUGUST	2007	62,887	358	358	0	5,549	0	\$0
SEPTEMBER	2007	96,097	449	449	0	7,950	0	\$0
OCTOBER	2007	79,994	423	423	0	7,058	0	\$0
NOVEMBER	2007	54,112	306	306	0	4,758	1,532	\$3,111
DECEMBER	2007	83,782	379	379	0	7,393	900	\$1,827
TOTAL		814,684	4,257	4,257	0	\$72,411	9,183	\$19,734
					Energy Use Index:			
Annual Total Energy Cost =		\$92,145	Per Year		Total Site BTU's/yr		39,203	BTU/s.f.yr
					Total Area (sq.ft.)			
Total KWH x 0.003413 =		2,780.52	x 106					
			x 106		Energy Cost Index:			
Total Propane x .095476		876.76	x 106		Total Energy Cost/yr		\$0.99	\$/s.f. yr
Total Site BTU's/yr		3,657.27	x 106		Total Area (sq.ft.)			
Floor area:		93,290	s.f.					
Electric Utility		Account #	Meter#		Gas Utility	Account #		
Xcel		Multiple Meters	0		Propane			

	ESA	Energy	S	vstems	Associates,	Inc
--	-----	--------	---	--------	-------------	-----

Water Valley ISD

APPENDIX IV

ENERGY POLICY

ENERGY POLICY

[Name of Institution]

result, we are establishing this Energy M	ade to conserve energy and natural resources. As a lanagement Policy which shall be implemented within its policy will be beneficial for taxpayers and community
	e joint responsibility of the trustees, administrators, staff he policy is dependent upon total cooperation from all
Policy. The Energy Manager will also most on a monthly and annual basis. Energy and recommendations will be made for undeficiency guidelines and procedures will addition, the procedures required for improved the second	nager to coordinate and implement the overall Energy maintain accurate records of energy consumption and ergy audits will be conducted annually at each facility apdating and improving the energy program. Energy I be reviewed and accepted or rejected by the board. In plementation of the program, and the results achieved d for administrative and staff information.
Adopted thisday of	, 200 .
President, Board of Trustees	
Attest:Secretary, Board of Tru	ustees

ESA	Energy	S	vstems	Associates,	Inc.

Water Valley ISD

APPENDIX V

Preliminary Energy Assessment Service Agreement

04/02/2009 14:17 Water Valley ISD Admin

(FAX)3254843359

P.002/002



Preliminary Energy Assessment Service Agreement



Investing in our communities through improved energy efficiency in public buildings is a win-win opportunity for our communities and the State. Energy-efficient buildings reduce energy costs, increase available capital, spur economic growth, and improve working and living environments. The Preliminary Energy Assessment Service provides a viable strategy to achieve these goals.

Description of the Service

The State Energy Conservation Office (SECO) will analyze electric, gas and other utility data and work with <u>WATER VALLEY ISD</u>, hereinafter referred to as Partner, to identify energy cost-savings potential. To achieve this potential, SECO and Partner have agreed to work together to complete an energy assessment of mutually selected facilities.

SECO agrees to provide this service at no cost to the Partner with the understanding that the Partner is ready and willing to consider implementing the energy savings recommendations.

Principles of the Agreement

Specific responsibilities of the Partner and SECO in this agreement are listed below.

- Partner will select a contact person to work with SECO and its contractor to establish an Energy Policy and set realistic energy efficiency goals.
- SECO's contractor will go on site to provide walk through assessments of selected facilities. SECO will
 provide a report which identifies no cost/low cost recommendations, Capital Retrofit Projects, and potential
 sources of funding. Portions of this report may be posted on the SECO Website.
- Partner will schedule a time for SECO's contractor to make a presentation of the assessment findings and recommendations to key decision makers.

Acceptance of Agreement


This agreement should be signed by your organization's	chief executive officer or other upper
management staff. //	-/ ,
Signature: Amus Parmon	Date: 4/2/09
Name (Mr/Ms./Dr.) Jimmy Hannon	Title: Superintendent
Organization: Water Valley ISD	Phone: 325 484 2478 x 399
Street Address: 18000 Wildcat Dr.	Fax: 325 484 3359
Mailing Address: P.O. Box 250	EMail: jimny, hannon@wvisd.net
Worler Valley, TX 76958	County Ton Green
CONTACT INFORMATION:	
Name (Mr)/Ms./Dr.): Lee Fowler	Title: Maintenance Director
Phone: 325 484 2478 x 391	Fax: 325 484 3359
E-Mail: /ee.fowler@wvisd.net	County Tom Green
Please sign & FAX or mail to Glenda Baldwin at State Address: LBI State Office Building, 111 E. 17th Street.	Energy Conservation Office, FAX: 512-475-2569 Austin, Texas 78774, Phone: 512-463-1731
Address: LBJ State Office Building, 111 E. 17th Street,	Austin, Texas 78774. Phone: 512-463-1731

AND also, please fax a copy to your SECO Contractor: ESA Energy Systems Associates, Inc.; Attn:

Yvonne Huneycutt FAX: 512-388-3312 Phone: 512-258-0547 x124

APPENDIX VI

SECO PROGRAM CONTACTS WATT WATCHERS OF TEXAS



THE COMPUTERS IN YOUR SCHOOL ARE WASTING ENERGY. YOU CAN HELP YOUR SCHOOL SAVE MONEY. IMPLEMENT COMPUTER MONITOR POWER MANAGEMENT.

WHAT Y'ALL NEED TO REMEMBER:

- Screen savers **DO NOT** save energy!
- A typical monitor uses 60-90 watts
- While in sleep mode a monitor uses 2-10 watts
- Your Energy Star features may not be enabled
- Use free Energy Star software to capture savings
- Utilize your network, put all monitors to sleep at once
- Turn off your monitor at night
- Save energy, save money, prevent pollution

SOME ACTUAL EXAMPLES FROM DISTRICTS THAT ALREADY SET THEIR MONITORS TO SLEEP:

	District A	District B	District C
# of computers	3,000	10,000	15,000
% of monitors enabled	55	0	50
% of monitors enabled after mandate	100	100	100
Cost of electricity	7.5¢	5.8¢	6.0¢
Hours monitors are used per week	9	9	9
Days monitors are used per week	5	5	5
% of monitors that are turned off			
at night and weekends	35	35	35
% of monitors turned off			
after mandate	65	65	65
Current energy use	953,620 kWh	5,522,790 kWh	5,087,745 kWh
Future energy use	349,479 kWh	1,164,930 kWh	1,747,395 kWh
Energy savings	604,141 kWh	4,357,860 kWh	3,340,350 kWh
Current energy costs	\$71,522	\$320,322	\$305,265
Future energy costs	\$26,211	\$67,566	\$104,844
Monetary savings	\$45,311	\$252,756	\$200,421
% of savings	63	79	65

If all of the estimated 1.2 million computer monitors in Texas schools were enabled for monitor power management, Texas would save up to \$20.5 MILLION EACH YEAR!

ALL IN A DAY'S REST ...

To download the free Energy Star EZ Save and EZ Wizard programs, click on the PC Power Management link on the Watt Watchers Website. The computer monitor power management campaign, Sleep is Good, is a national effort by EPA/DOE to promote energy savings in computer monitors. Watt Watchers is helping Texas schools take advantage of the program.

Watt Watchers of Texas
Phone/Fax 1-888-US WATTS (1-888-879-2887)
e-mail info@wattwatchers.org
Visit our website http://wattwatchers.org

Sponsored by the Texas Comptroller of Public Accounts, State Energy Conservation Office, and the U.S. Department of Energy.



-IT'S FREE!-IT'S SIMPLE!-IT WORKS!-

START YOUR PROGRAM TODAY!

att Watchers of Texas is a FREE energy efficiency program for Texas schools sponsored by the Texas **

Comptroller of Public Accounts, State Energy Conservation Office, and the U.S. Department of Energy. The program is designed to help school districts save energy and money by getting students involved. It is simple and effective! Students patrol the halls of the schools reducing energy waste by turning off lights and leaving "tickets" for empty classrooms with the lights on. Turning out the lights in a classroom during two unoccupied hours per day (lunch & after school) can save \$50 over a school year.

GET STARTED

Sign up for a free kit.
go on-line at http://wattwatchers.org to enroll.
You will receive a free kit which includes a set of 4 Watt Watchers binders, 4 name badges and 4 name tags with 4 lanyards, 4 pencils, a complete instruction manual on CD-ROM, plus a supply of forms, sample tickets and thank you notes. Everything you need — open your kit and get started today! Not only will your school be provided with all of the materials listed above (approximately a \$25 value), Watt Watchers will provide free support for the program, including:

- * WATTS NEWS Quarterly 20 page Newspaper
- * Toll Free Phone & Toll Free Fax support line
- * Website and e-mail support
- * E-Mail Update Monthly news for Watt Watchers
- * Workshops Watt Watchers sponsors regional workshops

- * Conferences Watt Watchers attends educational conferences – see you there.
- * CD-ROM with all the materials 0ver 450MB!
- Five Year Lapel Pins for dedicated Watt Watchers sponsors
- Watt Watchers Certificates for participation and Zero Hero Awards

BUT THAT'S NOT ALL. Y'ALL!

In addition to student energy patrols that find waste and raise awareness, Watt Watchers also has additional programs for your school:

- * Traveling Energy Exploration Stations free loans of hands-on kits for classes
- * Knowledge is Power an energy efficiency curriculum supplement
- * Sleep Is Good a computer monitor power management program
- # Junior Solar Sprint a model solar race car project
- * Energy Encounter a one day workshop for high school students
- * District Energy Council students assisting energy managers
- * The Weatherization Project a residential community energy project
- * Benchmarking compare your school district energy use nationally

Watt Watchers of Texas
Phone/Fax 1-888-US WATTS (1-888-879-2887)
e-mail info@wattwatchers.org
Visit our website http://wattwatchers.org

Sponsored by the Texas Comptroller of Public Accounts, State Energy Conservation Office, and the U.S. Department of Energy.



ENROLL IN WATT WATCHERS OF TEXAS



etting a Watt Watchers program started in your school is so simple. All you need to do is order the FREE kit! Your kit comes complete with 4 name badges, 4 lanyards, 4 notebooks, 4 pencils, the forms, and a CD-ROM with a manual to get you started saving energy and money for your school today!

Your students will patrol the halls of the schools to see where energy is being wasted. When they locate a classroom or office that is empty and the lights are on they will leave a reminder ticket ...

"9H, NO -YOU FORGOT TO TURN
YOUR LIGHTS OUT WHEN YOU LEFT THE
ROOM!"

If they notice classrooms that consistently turn the lights out they leave them a thank-you note...

"THIS ROOM IS FIRST RATE -THANKS FOR SAVING ENERGY FOR OUR SCHOOL!"

IT IS THAT SIMPLE.

Your students and your entire school will learn a valuable lesson about energy efficiency and its benefits that will last a lifetime. Your students will change habits and attitudes about our environment while saving money and preventing pollution. You will change the world for the better.

Teachers, just place the Watt Watchers materials in a bin at your front door and assign your students a time to go on patrols throughout the day and the work is done. The program can be adapted to fit your teaching needs and demands. The Watt Watchers program is designed not to interrupt daily school activities. Thousands of programs across Texas are now patrolling quickly and quietly.

JOIN US TODAY!

The Watt Watchers staff is here to support you. We have a quarterly newspaper, lesson plans, energy kits for loan, and several more energy-related programs. To learn more about Watt Watchers or to sign up and receive your free kit, please contact us:

Watt Watchers of Texas


Phone/Fax 1-888-US WATTS (1-888-879-2887)
e-mail info@wattwatchers.org

Visit our website http://wattwatchers.org

Sponsored by the Texas Comptroller of Public Accounts, State Energy Conservation Office, and the U.S. Department of Energy

APPENDIX VII

TEXAS ENERGY MANAGERS ASSOCIATION (TEMA)





- Networking
- Sharing Knowledge and Resources
- Training Workshops
- Regional Meetings
- Annual Conference
- Certification
- Legislative Updates
- Money-Saving Opportunities



WWW.TEXASEMA.ORG

Check the website for Membership and Association information.

APPENDIX VIII UTILITY CHARTS ON DISKETTE